

LED EMERGENCY BULKHEAD


Data Sheet Documents

IP
65

5Y
WAR


CRI
>80

50.000
HOURS






01	ORDER CODE	• NSL-WML-355-4W-SMD-NS-XXK-IP65-EM
02	DIMENSIONS (MM)	• 355X100X55



FRONT VIEW



SIDE VIEW



TOP VIEW

03

GENERAL
PRODUCT
DESCRIPTION

Reliable 4W LED emergency bulkhead combining a high-visibility directional exit sign IP65-rated for indoor and outdoor use, with a built-in battery backup for sustained operation during power failures, CRI >80, rated for 50,000 hours and backed by a 5-year warranty.

04

FEATURES

A powerful emergency area light in one compact, rugged unit – delivering instant, dependable illumination precisely when it matters most.

05

TECHNICAL
DATA

Input Voltage	220 - 240 V A C
Frequency	50 / 60 H z
CCT	3000-4000-6000
CRI	>80%
Wattage	4 W
LED Type	2835 LED SMD
Materials	aluminuim housing, pc diffuser
Life Time	>50,000 hours
charging time	24H
On Battery time	3H
Visibility distance	24-30 m
Operating Temp	-20°C to +55°C
Storage Temp	-40°C to +85°C
Certifications	CE, SELV
Mounting	Wall Mounted / Surafce Mounted
IP Rating	IP65
IK	08
Dimmable	On Request
Emergency	Battery Ni-Cd 3.6V 1500MAH / 3HR
Warranty	5 Years

06

APPLICATIONS

An essential life-safety solution for stairwells, corridors, car parks, warehouses, schools, hospitals, and any commercial or public building.



General
Lighting



Football
Field



Street
Lamp



Factory
Lighting



Green
House



Industrial
Area



Car
Park



Ware
house

07

PHOTOMETRIC
DATA

