LED EMERGENCY TWIN SPOTLIGHT

Data Sheet Documents

-

IP
20

1Y
WAR


CRI
>80

50.000
HOURS







01 | ORDER CODE • KE127



FRONT VIEW



SIDE VIEW



TOP VIEW

03 GENERAL PRODUCT DESCRIPTION

Dependable LED emergency twin spotlight with two fully adjustable heads that deliver powerful, wide-coverage directional illumination instantly upon power failure. P20-rated, CRI >80, rated for 50,000 hours, and backed by a 1-year warranty .

04 FEATURES

Ensuring critical areas remain safely lit during any emergency evacuation. The automatic self-activating battery backup system requires zero manual intervention, while the robust housing and dual independently adjustable beam heads provide maximum flexibility to direct light precisely where it is needed most.

05 TECHNICAL DATA

Part Number	KE127
LED Power	2x1W
LED	SMD 2835LED/14pcs
Battery	Ni-CD 3.6V 1.0AH
Input Voltage	220 240 V AC 50-60Hz
Lumen	150Lm
Charging Time	12H
Emergency Time	120-180 Mins
Charger	Green
IP Rating	IP20
Mounting	Wall Mounted
Maintenance	Non-Maintained
Emergency	Yes
Warranty	1 Years

06 APPLICATIONS

An essential life-safety solution for stairwells, corridors, car parks, warehouses, schools, hospitals, and any commercial or public building.



07 PHOTOMETRIC DATA