LED LIGHT UNDER CANOPY T

Data Sheet Documents


-


IP
65

5Y
WAR

CRI
>80


50.000
HOURS







01	ORDER CODE	• NSL-UCAN-V2-100W-XXK-SMD-TD-CN-IP65
02	COLOR	• L335 W335 H70



01	ORDER CODE	• NSL-UCAN-V2-100W-XXK-SMD-PH-CN-IP65
02	COLOR	• L335 W335 H70

03 GENERAL PRODUCT DESCRIPTION

Professional-grade LED under-canopy light engineered specifically for gas stations and service areas, available in 150W, IP65- rated for complete weather resistance, CRI >80 for accurate color rendering, rated for 50,000 hours and backed by a 5-year warranty.

04 FEATURES

The modular multi-panel LED array delivers powerful, uniform, glare-controlled illumination across the entire forecourt with exceptional brightness and consistency — ensuring safe, well-lit conditions for drivers and customers at all times.

05 TECHNICAL DATA

Input Voltage	120 - 277 V A C
Frequency	50 / 60 H z
Power factor	>95%
CCT	2700K, 3000K, 4000K, 5000K, 6000K
CRI	>80%
Wattage	100W
LED Efficiency	120-130Lm/W
Lumen	12000 Lm
Power supply	NASSLI/INVENTRONICS/philips/tradonic
LED Type	LUMILEDS
Materials	DIE-CASTING ALUMINUIM HOUSING, PC LENS
Life Time	>50,000 hours
Operating Temp	-20˚C to +55˚C
Storage Temp	-40˚C to +85˚C
Certifications	CE, SELV, SASO
Mounting	Recessed
IP Rating	IP65
Dimmable	On Request
Emergency	N/A
Warranty	5 Years

06 APPLICATIONS

Perfect for bedrooms, living rooms, hallways, offices.

