

Manufacturing is a design practice that works alongside those with a passion for design and production

# LED STREET LIGHT T

IP 65    5Y WAR    Watt 50-200    CRI >80    50,000 HOURS



Manufacturing is a design practice that works alongside those with a passion for design and production



## Application

Ideal for collector roads, local roads, commercial and industrial complexes, driveway, open areas, public squares, parks and playgrounds, factories, airports

## Feature

- Fixture designed for harsh and hot environments. Each
- LED module can be replaced separately.
- Overload protection, short circuit protection, and no-load protection.
- Aluminum heat dissipation module has a surface anodic oxidation process to make it resistant and anti-aging fixture.

## Product Details

Input Voltage	220 - 240 V A C
Frequency	50/60Hz
Power Factor	>98%
CCT	2700K, 3000K, 4000K, 6000K
CRI	>80%
LED Efficiency	120-130Lm/W
Power Supply	Tridonic / Nassli / Philips
LED Type	Osram / Philips
Materials	Aluminum, PC, & Friendly material
Beam Angle	143° x 67°
Life Time	>50,000 Hour
Operating Temp	-20°C to +55°C
Storage Temp	-40°C to +85°C
Certifications	CE, SELV and ISO
Mounting	With Pole
IP Rating	IP65
Dimmable	On Request
Emergency	N/A
Warranty	5 Years

Power (Watt)	Dimensions	Lumen
50W	L290 W190 H55	5500
Order Code	NSL-STLT-50W-XXK-SMD-NS-IP65	
Order Code	NSL-STLT-50W-XXK-SMD-TD-XX-IP65	

Power (Watt)	Dimensions	Lumen
100W	L415 W235 H90	11000
Order Code	NSL-STLT-100W-XXK-SMD-TD-XX-IP65	
Order Code	NSL-STLT-100W-XXK-SMD-PH-XX-IP65	

Power (Watt)	Dimensions	Lumen
150W	L555 W310 H95	16500
Order Code	NSL-STLT-150W-XXK-SMD-TD-XX-IP65	
Order Code	NSL-STLT-150W-XXK-SMD-PH-XX-IP65	

Power (Watt)	Dimensions	Lumen
200W	L555 W310 H95	22000
Order Code	NSL-STLT-200W-XXK-SMD-TD-XX-IP65	
Order Code	NSL-STLT-200W-XXK-SMD-PH-XX-IP65	