NASSLI
LED LIGHTS

LED WALL MOUNTED LIGHT

Data Sheet Documents

IP
65

5Y
WAR

CRI
80% - 90%

50.000
HOURS

01 | ORDER CODE
- NSL-WML-320-20W-XXK-SMD-NS-IP65

02 | DIMENSIONS(MM)
- 320X230X190 MM



03 GENERAL PRODUCT DESCRIPTION

Rugged LED wall pack light with a durable Aluminum housing and IP65-rated weatherproof build for reliable outdoor performance. Delivering 20W of bright, wide-angle illumination with CRI >80 for crisp visibility, it's rated for 50,000 hours of dependable operation. Backed by a 5-year warranty, it's ideal for building perimeters, entrances, walkways, and security lighting. LED Wall Mounted Light is designed for Whether for a new building or renovation of an existing space, customers want lighting solutions that

04 FEATURES

provide quality of light and substantial energy and maintenance savings. The new CoreLine Wall-mounted range of LED products can be used to replace traditional wall-mounted luminaires incorporating compact fluorescent lamps. The Process of selecting, installing, and maintaining is so easy it's a simple switch

05 TECHNICAL DATA

Input Voltage	220 - 240 V A C
Frequency	60 / 50 H z
Power factor	>90%
CCT	2700K, 3000K , 3500K , 4000K, 5000K , 6000K
CRI	80% - 90%
LED Efficiency	120-140Lm/W
Lumen	2700LM
Power supply	Nassli
LED Type	Osram / Lumileds
Materials	PC material
Beam Angle	60˚ 90˚ 120˚
Life Time	>50,000 Hour
Operating Temp	˚20-C to ˚55+C
Storage Temp	˚40-C to ˚85+C
Certifications	CE, SELV and ISO
Mounting	Suspended
IP Rating	IP65
Dimmable	On&Of / Phase cut / 0-10V / Dali
Emergency	On Request
Warranty	5 Years

06 APPLICATIONS

It can be widely used for Palaces, Hotels, Parking, Garden, Street, Housing etc...

07 PHOTOMETRIC DATA